

Wood Pellet Comparison Chart									Disclaimer: All stoves are different your results may vary
BRAND	Heat Avg*	% of Ash	Heat Difference	Ash Difference	Heat Value	Ash Value Discount	Total Value	Total Pellet Value	
Okanagan	262°	###	0%	0%	100%	0%	100%	\$ 285.00	← Tests were conducted between Oct 2009- Dec 2009
Barefoot	265°	0.48%	1.15%	71.43%	101%	4%	97.00%	\$ 276.45	This is NOT a scientific test, but each pellet was tested with two bags, and the stove was thoroughly cleaned and ash content gathered after each burn. This is meant to show only
Bayou	223°	0.48%	-14.89%	71.43%	85.11%	4%	81.11%	\$ 231.16	
Fireside	228°	0.93%	-12.98%	232.14%	87.02%	8%	79.02%	\$ 225.21	a comparison of the different pellets and your results may vary depending on your stove, settings, outside temperature, humidity, stove age, cleanliness and other factors.
Greenway	234°	0.38%	-10.69%	35.71%	89.31%	2%	87.31%	\$ 241.37	outside temperature, humidity, stove age, cleanliness and other factors.
Inferno	185°	1.00%	-29.39%	257.14%	70.61%	10%	60.61%	\$ 172.74	This is meant as a gauge only.
Instant Heat	224°	0.63%	-14.50%	125.0%	85.50%	6%	79.50%	\$ 226.58	Tests were done by Jay Takeman of CT. Jay is not in the pellet business or affiliated with Okanagan Pellets in any manner whatsoever.
Lignetics	250°	0.47%	-4.58%	67.86%	95.42%	4%	91.42%	\$ 260.55	*Omega HH23thermonitor. It is calibrated(by the QA dept) for Lad Testing
Maine Choice	228°	0.63%	-12.98%	125.0%	87.02%	6%	81.02%	\$ 230.91	and process ovens to + or - .001 degree
Maine Woods	224°	0.65%	-14.50%	132.14%	85.50%	6%	79.50%	\$ 219.78	Weight scale is calibrated to .0001 lbs. (actually weight can be provided if desired)
Marth	247°	0.40%	-5.73%	42.86%	94.27%	2%	92.27%	\$ 262.97	More test results will be added as they become available
Michigan	232°	0.80%	-11.45%	185.71%	88.55%	8%	80.55%	\$ 229.57	
Pennington's	227°	0.63%	-13.36%	125.0%	86.64%	6%	80.64%	\$ 229.82	* More information on this test and all original findings are available at
Presto Logs	225°	0.93%	-14.12%	232.14%	85.88%	8%	77.88%	\$ 215.30	http://www.hearth.com/econtent/index.php/forums/viewthread/42511/
Rocky Mtn	235°	0.45%	-10.31%	60.71%	89.69%	4%	85.69%	\$ 244.22	
Tidy Timbers	229°	0.49%	-12.60%	75.0%	87.40%	4%	83.40%	\$ 237.69	



This non-scientific comparison test was done by a consumer without solicitation or input from Okanagan pellets .

This was done solely on the consumers own accord for comparison without any compensation of any kind for this comparison .